

XILIA



Index

Methodological guidelines	03
General terms of sale	04
Materials and finishes	06
Systems	
In-To	10
Lay-out	20
Complements	
Bubble	52
Gravity	62
Outstanding	72
Objects	
Hooky	78
Myself	82
Marketing tools	86

Information on the price list



For each item, the corresponding sales code is provided to be used when placing an order.



The measurements listed in the price list are expressed in millimeters (mm).



Standard packaging is provided in cardboard. The price for special packaging (such as wooden crates) must be agreed upon in advance in writing and will be subject to a dedicated quotation. The weights and volumes indicated in the price list refer to the product and not the final packaging. Final volumes and weights will be communicated by the logistics department once the order has been processed.



The measurements, correct transmission of dimensions, and installation are entirely under the responsibility of the Customer. Before proceeding with installation, verify the suitability of the wall on which the XILIA product is to be installed. Depending on the different types of walls, the installer must identify the correct type of plug or anchoring system.

General information on products



The hardware does not include the screws necessary for fixing the product to the wall, as the specific characteristics of the wall where the product will be installed are unknown.



All hinged doors for wardrobes are supplied standard with soft-closing hinges.



All drawers are supplied standard with soft-closing mechanisms and full extension.



The supplied lighting has a temperature of 3000° Kelvin. The power supplies are UL certified and the voltage is 110/230V

General information on systems



The price list for systems is based on dimensional price ranges (height, width, depth).



Production to the millimeter is always included in the list price, and no extra charges will apply for size reductions. The price for compositions is determined by identifying the price range corresponding to the measurements. Any measurement within the price range does not incur additional costs.



All projects must be reviewed by the XILIA Technical Office to verify their feasibility.

1.	DISCLAIMER
1.1	Prices VAT, duties and taxes not included.
1.2	Design, installation, and transportation costs are not included in this price list.
1.3	XILIA reserves the right to modify models, products, materials, prices, and sales conditions at any time without prior notice.
1.4	This price list cancels and replaces all previous price lists.
1.5	XILIA disclaims any liability, except for legal obligations, for any inaccuracies contained in this price list.
1.6	At the time of order, always check the availability of the latest valid price list.
2.	SCOPE OF APPLICATION
2.1	These conditions cancel and replace all previous ones and regulate all sales contracts entered into by XILIA Srl, based in Motta di Livenza (TV), Via Callalta Capoluogo 12 (hereinafter XILIA) with the Customer.
2.2	XILIA has the right to withdraw from the contract at any time if the Customer does not provide adequate solvency guarantees, does not comply with the agreed commercial terms, or engages in unfair or non-compliant commercial practices.
3.	ORDERS
3.1	By placing an order, the Customer declares to have read and fully accept the "General Terms" set out below.
3.2	XILIA disclaims any liability, except for legal obligations, for any inaccuracies in this price list. Orders must be submitted to XILIA in digital written form, clearly specifying the product codes and finishes listed in this price list.
3.3	XILIA is not obligated to accept an order, and acceptance may be subject to partial or full payment by the Customer.
3.4	If XILIA does not accept an order, no compensation is due to the Customer, except for the possible refund of any advance payment made.
3.5	Upon receipt of the purchase order, if accepted, XILIA will send the Customer a written order confirmation, which is an integral part of these General Sales Conditions.
3.6	The order is considered confirmed, and the contract is completed only upon receipt of the order confirmation signed for acknowledgment and acceptance by the Customer.
3.7	For products requiring configuration and/or design, the order is confirmed upon receipt of the order confirmation and signed technical drawings from the Customer.
4.	ORDER CHANGES
4.1	Requests for changes to unconfirmed orders will be considered only if received in writing within 3 (three) days from the date of XILIA's order confirmation.
4.2	Requests for changes submitted after this deadline may be accepted or rejected at XILIA's discretion.
4.3	For accepted changes, XILIA reserves the right to charge for modifications and/or additions, as well as for any originally ordered products that are no longer required.
4.4	Following Customer-requested modifications, XILIA will issue an updated order confirmation reflecting the price adjustment and new delivery date.
4.5	Requests for changes or cancellations after production has started entitle XILIA to retain any advance payments and request full order payment, without prejudice to claims for greater damages.
5.	PRODUCTS
5.1	Product images, descriptions, and technical specifications are indicative and subject to reasonable variations.
5.2	XILIA reserves the right to make technical, dimensional, and aesthetic improvements to its products without prior notice, without altering their essential characteristics and quality, even after sending the order confirmation.
5.3	The drawings in this price list outline the main dimensional and aesthetic features of the products but do not define construction details.
5.4	Delivered products may differ from XILIA samples in terms of color tone, grain, shade, and pattern.
5.5	These differences cannot be grounds for Customer complaints.
5.6	The Customer acknowledges that products may change over time, particularly in tone, due to aging, light exposure, humidity, and environmental conditions.
5.7	Such variations cannot be contested by the Customer.
5.8	Additional orders for completion, repair, modification, or replacement may present differences in grain, tone, or other characteristics, which are inevitable and not subject to dispute.
6.	SPECIAL PRODUCTS
6.1	Any request for modifications in dimensions, functionality, and/or finishes compared to the catalog is considered a custom-made product. XILIA will evaluate feasibility and confirm it in writing, including lead times and any additional costs.
6.2	The Customer may not modify products at their discretion without XILIA's prior authorization.
7.	PAYMENTS
7.1	Payment terms and conditions are specified in the order confirmation.
7.2	Non-compliance with payment terms will result in late fees and interest at the rate in effect in Italy.
7.3	XILIA reserves the right to suspend supplies if the Customer fails to meet payment terms and to condition the acceptance of new orders on the settlement of previous balances.
7.4	Non-payment entitles XILIA to request advance payment for current and future orders.
7.5	Complaints regarding received products or the contract do not justify delayed or suspended payment.
7.6	6 Ownership of products passes from XILIA to the Customer only upon full, irrevocable, and unconditional payment.
7.7	Until full payment, products remain XILIA's property.
8.	DELIVERY
8.1	Unless otherwise agreed, goods are delivered EX WORKS (Incoterms 2020).
8.2	Even if arranged by XILIA upon request or in the Customer's interest, transportation is always at the Customer's expense and risk.

8.3	Delivery dates in the order confirmation are indicative. XILIA may advance or delay delivery with reasonable notice, without entitling the Customer to suspend the order, claim reimbursement, compensation, or indemnification.
8.4	XILIA is not responsible for delivery delays due to transportation, customs clearance, or other factors beyond its control.
9.	DELIVERY MODIFICATIONS
9.1	Requests for postponed delivery, submitted in writing before production is completed, may be accepted or rejected at XILIA's discretion.
9.2	Requests to delay pickup after goods are ready may be accepted or rejected, but payment terms remain unchanged.
9.3	If products are not collected within 7 (seven) days from the written notification of availability, XILIA may charge a storage/handling fee of €100 per day.
10.	COMPLAINTS
10.1	Upon receipt, the Customer must inspect the goods and report any visible defects, packaging issues, or discrepancies in writing within 2 (two) days, marking "accepted with reservation" on the delivery document.
10.2	Hidden defects must be reported within 7 (seven) days of receipt.
11.	RETURNS
11.1	Returns are not accepted unless authorized in writing by XILIA.
11.2	The Customer bears all transport, packaging, customs, insurance, and ancillary costs.
11.3	Returned goods must be in original packaging, intact, and complete.
11.4	Each return must include a transport document referencing the original order number and a detailed photographic report.
11.5	XILIA will verify returned goods at its facility before accepting them. Any restoration costs will be charged to the Customer.
11.6	Returns of custom-made products are never accepted.
12.	WARRANTY FOR DEFECTS
12.1	If covered by warranty, XILIA will decide whether to repair or replace the defective product.
12.2	Repairs may be conducted on-site or require product return.
12.3	The Customer indemnifies XILIA from third-party claims due to improper assembly, installation, use, or maintenance.
12.4	XILIA's liability is limited to the purchase price and excludes: - defects not attributable to XILIA; - improper use; - normal wear and tear; - poor maintenance; - unauthorized modifications;
13.	INTELLECTUAL PROPERTY
13.1	XILIA retains all intellectual and industrial property rights.
13.2	The Customer may not register similar trademarks, domains, or signs.
13.3	The Customer may use the XILIA brand only as instructed.
14.	GENERAL PROVISIONS
14.1	These conditions and related sales are governed by Italian law.
14.2	Non-exercise of rights does not constitute waiver.
14.3	Any dispute is subject to the exclusive jurisdiction of the Court of Treviso.

Wood


CATEGORY A




Natural oak **WD01**




Natural ash **WD03**



Carbon ash **WD05**



Terracotta ash **WD07**



Salmon ash **WD08**



Navy ash **WD09**



Sky ash **WD10**



Forest ash **WD11**




Sage ash **WD12**

CATEGORY B



Canaletto **WD02**



Graphite oak **WD04**



Carbon oak **WD06**




Smoked oak **WD14**

CATEGORY C



Cement fir **WD13**



Smoked eucalyptus **WD15**



Velasca canaletto **WD16**

CATEGORY D



Natural oak Strike **WD01S**




Canaletto Strike **WD02S**




Graphite oak Strike **WD04S**



Carbon oak Strike **WD06S**



Smoked oak Strike **WD14S**



Velasca canaletto Strike **WD16S**

Matt lacquered



Ivory white **WL01**



Mouse grey **WL02**



Concrete grey **WL03**



Graphite grey **WL04**




Moss green **WL05**



Olive green **WL06**




Petroleum blue **WL07**



Petal pink **WL08**

Melamine

COLOURED



Light grey **ME01**



Platinum grey **ME02**



Slate grey **ME03**



Red blush **ME04**



Blue shadow **ME05**




Pale green **ME06**




Penelope linen **ME07**


TEXTURED




Primofiore leather **ME08**



Light oak **ME09**



Black oak **ME10**



Canaletto **ME11**

Fenix®




Kos white **FE01**



Ingo black **FE02**



Ottawa beaver **FE03**



London grey **FE04**



Bromo grey **FE05**



Namib red **FE06**




Brac green **FE07**




Shaba blue **FE08**

Metal



Traffic white **ML01**



Jet black **ML02**




Champagne **ML03**



Tele grey 4 **ML04**



Copper red **ML05**



Beige red **ML06**




Distant blue **ML07**



Pastel blue **ML08**



Reseda green **ML09**



Pale green **ML10**

Glass



Extraclear **GL01**

Hide Presot®



Natural **LE01**



Black **LE02**

In-To

Space divider system

Design by XILIA R&D


In-To

Technical specifications

INDEX


Components

1. Upper fixing bushing
2. Upper slat terminal for pushing locking
3. Integrate compression pushing system
4. Wood slat
5. Bottom slat terminal for hooking to the floor
6. Ground fixing base
7. High-strength die-cut double-sided adhesive




Discover more
about In-To



Slat dimension



Slat adjustment





Slats internal distance: option 1





Available with accessories

Slats internal distance: option 2





Available with accessories

Slats internal distance: option 3




145

Slats internal distance: option 4



180
Interaxial


Measurement guidelines



Height slat = H (arithmetic average of the measurements) - 22 mm

Measure the height "floor-ceiling" every 1000 mm, then make the arithmetic mean of the measurements and subtract 22mm to determine the height of the wooden slat. For compositions with a length less than 1500 mm, measure at least 3 points (beginning, middle and end).

Additional cutting rules for slat




If the measurements have a difference of more than 12 mm between the highest and lowest point, it will be necessary to provide at least one additional cut. The price list includes only one cut to size for each order. In case of differences in measurement more than 12 mm, an additional cost will be applied per cut to size. The XILIA Technical Office will always evaluate the correct information in the order.

Relief height	2700	2694	2690	2684
Difference from the highest measurement	-	-6	-10	-16
Additional cutting required	-	-	-	YES


Examples of number of slats according to the length of the composition

	Option 1	Option 2	Option 3	Option 4
L. 500 mm	6	4	3	3
L. 1000 mm	11	7	6	6
L. 1500 mm	17	11	8	8
L. 2000 mm	22	15	11	11
L. 2500 mm	28	19	14	14
L. 3000 mm	33	22	17	17


Templates for slat installation




Templates for accessories installation




Spacer for fixing accessories (included in the price of the accessory)




Clothes hanger




Pocket emptier



Round mirror



Oval mirror



Materials				
	Slat	Slat fixing system*	Accessories	Accessory fixing
Wood veneer	●			
Powder-coated metal		●	●	●
Hide				●
* The slat fixing system includes components 2, 3 and 5 on page 11				

Wood veneer



WD01
Natural oak



WD02
Canaletto



WD03
Natural ash



WD04
Graphite oak



WD05
Carbon ash



WD06
Carbon oak



WD07
Terracotta ash



WD08
Salmon ash



WD09
Navy ash



WD10
Sky ash



WD11
Forest ash



WD12
Sage ash



WD16
Velasca canaletto

Powder-coated metal



ML02
Jet black

Hide



LE01
Natural



LE02
Black

Notes:

The correct size of the slat shall be obtained by subtracting 22 mm from the arithmetic mean of the measurements from floor to ceiling.

In the price of the slat is included only one slat-cut per order. If further cuts are required due to a height difference of more than 12 mm (see measurement guidelines), apply the surcharge determined below.

	04INT0001	04INT0002	83INT0001		
	Up to 2700 mm	From 2701 mm to 3000 mm	Additional slat cutting		
	pack 1 Kg *	pack 1 Kg *			
Category A	256	289	85		
Category B	263	302			
Category C	272	312			
*Package weight: up to 270 cm with 2 slats = 16 Kg / with 1 slat = 10 Kg - from 271 cm to 300 cm with 2 slats = 19 Kg / with 1 slat = 12 Kg					
Optional	84INT0003	84INT0004	84INT0005	84INT0006	
	pack 1 Kg 3	pack 1 Kg 1	pack 1 Kg 1	pack 1 Kg 1	
	Kit templates for installing slats*	90	-	-	-
	Single standard template	-	50	-	-
	Custom positioning template	-	-	120	-
	Accessory installation template	-	-	-	15
* The template kit consists of: - 3 templates for installation with distance between slats 55/145 mm, 100 mm and 45° inclination - 2 bushings for fixing the template to the ceiling - 1 template for installing accessories					

Slat		Fixing system slat		
VENEER	A: Natural oak	B: Canaletto	C: Velasca canaletto	Jet black
	Natural ash	Graphite oak		
	Carbon ash	Carbon oak		
	Terracotta ash			
	Salmon ash			
	Navy ash			
	Sky ash			
	Forest ash			
	Sage ash			
			METAL	

				
17INT0001	84INT0001	84INT0007	18INT0001	18INT0002
Clothes hanger	Empty pockets configuration 1	Empty pockets configuration 2	Round mirror	Oval mirror
L 90 mm D 160 mm H 340 mm	L 220 mm D 100 mm H 35 mm	L 220 mm D 100 mm H 35 mm	L 600 mm D 35 mm H 600 mm	L 500 mm D 35 mm H 1600 mm
pack 1 Kg 2	pack 1 Kg 2	pack 1 Kg 2	pack 1 Kg 11	pack 1 Kg 34
223	241	241	621	824

Optional clothes hanger	84ACC0001
Coat hanger bag holder cover	80

Optional pocket emptier	84INT0002
Pocket emptier mat	40

Accessories	Fixing accessories
METAL	HIDE
Jet black	Natural hide
	Black hide

Lay-out

Day system

Design by Arkenis


Lay-out

Technical specifications

INDEX


Components

1. Finished side panel with vertical slats
thk 19mm
2. Single door module
3. Double doors module
4. Intra-module side thk 19mm
5. Melamine wardrobe structure made
of back panel thk 8mm, top and bottom
thk 19mm and shelves thk 25mm
6. Basement
7. Lower wooden frame
8. Upper wooden frame




Discover more
about Lay-out


System price construction logic




Design rules in width




Design rules in height




Sideboard: single and double modules



Wardrobe: single and double modules




Open front modules




* dimensions not customizable

Two hinged door module: integrated vertical handle pull opening on right door

Single hinged door module: push-pull opening




Column dimensions




	Architectonic light	Wardrobe height	Example of number of shelves
Wardrobe	2100 mm	2085 mm	5
	2400 mm	2385 mm	6
	2700 mm	2685 mm	7
	3000 mm	2985 mm	8

Sideboard dimensions





Double-sided sideboard dimensions





	Architectural light	Height container	Example of number of shelves
Sideboard	-	450 mm	0
	-	700 mm	1
	-	900 mm	2


Internal dimensions: depth




Internal dimensions: width





Single module opening





Double module opening



Finished side panel



Niche compensation band




Materials

	Doors	Finished side panel	Open front module (TV, bookcase, bench)	Structure
Wood veneer	•	•	•	
Melamine				•

Wood veneer






Melamine



Notes:
Each module consists of: door, back panel, floor and top base, upper and lower wooden frame, side panel and basement. XILIA will optimize the length of the upper and lower frame according to the composition. If the length is greater than 2700 mm, the horizontal wooden frame shall be divided into several pieces.





At the time of the order communicate the precise measurements of the composition to the commercial office, which will promptly check the correct design or composition.

						
		03LAY0001	03LAY0002	03LAY0003	03LAY0031	03LAY0036
Width (min. 350 mm) →		448 mm	528 mm	648 mm	Finished side panel	Niche compensation band
Height (min. 1800 mm) ↓		D 440 ÷ 590 mm	D 440 ÷ 590 mm	D 440 ÷ 590 mm	D 440 ÷ 590 mm	
Category A	2100 mm	1.263	1.361	1.507	624	281
	2400 mm	1.420	1.528	1.690	704	321
	2700 mm	1.611	1.729	1.906	783	360
	3000 mm	1.719	1.847	2.040	863	421
Category B	2100 mm	1.316	1.420	1.576	678	300
	2400 mm	1.480	1.596	1.768	765	342
	2700 mm	1.680	1.806	1.996	852	385
	3000 mm	1.794	1.931	2.137	939	450
Category C	2100 mm	1.367	1.477	1.643	731	319
	2400 mm	1.539	1.661	1.844	824	364
	2700 mm	1.747	1.881	2.083	918	408
	3000 mm	1.866	2.012	2.231	1.012	479

Door			Structure	
VENEER	A: Natural oak	B: Canaletto	C: Cement fir	Light grey
	Natural ash	Graphite oak	Velasca canaletto	Platinum grey
	Carbon ash	Carbon oak		Slate grey
	Terracotta ash			Red blush
	Salmon ash			Blue shadow
	Navy ash			Pale green
	Sky ash			
	Forest ash			
	Sage ash			
			MELAMINE	


Notes:
Each module consists of: door, back panel, floor and top base, upper and lower wooden frame, side panel and basement. XILIA will optimize the length of the upper and lower frame according to the composition. If the length is greater than 2700 mm, the horizontal wooden frame shall be divided into several pieces.

At the time of the order communicate the precise measurements of the composition to the commercial office, which will promptly check the correct design or composition.


						
		03LAY0004	03LAY0005	03LAY0006	03LAY0031	03LAY0036
Width (min. 692 mm) →		888 mm	1048 mm	1288 mm	Finished side panel	Niche compensation band
Height (min. 1800 mm) ↓		D 440 ÷ 590 mm	D 440 ÷ 590 mm	D 440 ÷ 590 mm	D 440 ÷ 590 mm	
Category A	2100 mm	1.952	2.159	2.468	624	281
	2400 mm	2.196	2.425	2.767	704	321
	2700 mm	2.440	2.690	3.066	783	360
	3000 mm	2.648	2.921	3.329	863	421
Category B	2100 mm	2.046	2.265	2.594	678	300
	2400 mm	2.302	2.545	2.910	765	342
	2700 mm	2.559	2.826	3.226	852	385
	3000 mm	2.780	3.070	3.505	939	450
Category C	2100 mm	2.136	2.368	2.716	731	319
	2400 mm	2.405	2.662	3.048	824	364
	2700 mm	2.674	2.956	3.380	918	408
	3000 mm	2.907	3.215	3.676	1.012	479

Door			Structure	
VENEER	A: Natural oak	B: Canaletto	C: Cement fir	Light grey
	Natural ash	Graphite oak	Velasca canaletto	Platinum grey
	Carbon ash	Carbon oak		Slate grey
	Terracotta ash			Red blush
	Salmon ash			Blue shadow
	Navy ash			Pale green
	Sky ash			
	Forest ash			
	Sage ash			
			MELAMINE	


Single module



Double module



Section




* dimensions not customizable

Notes:

Each block consists of: door, back panel, floor and top base, upper and lower wooden frame, side panel and basement, open compartment and shelves.
XILIA will optimize the length of the upper and lower frame according to the composition. If the length is greater than 2700 mm, the horizontal wooden frame shall be divided into several pieces.

The bases are not adjustable in height.

At the time of the order communicate the precise measurements of the composition to the commercial office, which will promptly check the correct design or composition.



		20LAY0006	20LAY0007	20LAY0008	03LAY0031	03LAY0036
Width (min. 529 mm) →		648 mm	888 mm	1048 mm	Finished side panel	Niche compensation band
Height (min. 1800 mm) ↓		D 440 + 590 mm	D 440 + 590 mm	D 440 + 590 mm	D 440 + 590 mm	
Category A	2100 mm	2.738	3.360	3.682	624	281
	2400 mm	3.042	3.721	4.081	704	321
	2700 mm	3.346	4.082	4.480	783	360
	3000 mm	3.650	4.444	4.880	863	421
Category B	2100 mm	2.939	3.602	3.948	678	300
	2400 mm	3.272	3.998	4.386	765	342
	2700 mm	3.604	4.393	4.823	852	385
	3000 mm	3.937	4.789	5.261	939	450
Category C	2100 mm	3.133	3.836	4.207	731	319
	2400 mm	3.493	4.265	4.681	824	364
	2700 mm	3.854	4.694	5.156	918	408
	3000 mm	4.214	5.123	5.630	1.012	479


Door

VENEER	A: Natural oak	B: Canaletto	C: Cement fir
	Natural ash	Graphite oak	Velasca canaletto
	Carbon ash	Carbon oak	
	Terracotta ash		
	Salmon ash		
	Navy ash		
	Sky ash		
	Forest ash		
	Sage ash		


Structure

MELAMINE	Light grey
	Platinum grey
	Slate grey
	Red blush
	Blue shadow
	Pale green

Modularity



Section




* dimensions not customizable

Notes:
Each block consists of: door, back panel, floor and top base, upper and lower wooden frame, side panel and basement, open compartment and shelves.
XILIA will optimize the length of the upper and lower frame according to the composition. If the length is greater than 2700 mm, the horizontal wooden frame shall be divided into several pieces.

The height of the bases and the height of the open modules cannot be changed.


At the time of the order communicate the precise measurements of the composition to the commercial office, which will promptly check the correct design or composition.




		20LAY0001	20LAY0002	20LAY0003	03LAY0031	03LAY0036
Width (min. 692 mm) →		1048 mm	1595 mm	2015 mm	Finished side panel	Niche compensation band
Height (min. 1800 mm) ↓		D 590 mm	D 590 mm	D 590 mm	D 590 mm	
Category A	2100 mm	3.913	5.560	6.800	624	281
	2400 mm	4.279	6.063	7.396	704	321
	2700 mm	4.774	6.478	7.904	783	360
	3000 mm	5.255	7.451	9.075	863	421
Category B	2100 mm	4.158	5.890	7.203	678	300
	2400 mm	4.550	6.426	7.838	765	342
	2700 mm	5.072	6.869	8.380	852	385
	3000 mm	5.585	7.891	9.610	939	450
Category C	2100 mm	4.395	6.206	7.591	731	319
	2400 mm	4.813	6.776	8.267	824	364
	2700 mm	5.360	7.247	8.842	918	408
	3000 mm	5.906	8.319	10.131	1.012	479

Door			Structure	
VENEER	A: Natural oak	B: Canaletto	C: Cement fir	Light grey
	Natural ash	Graphite oak	Velasca canaletto	Platinum grey
	Carbon ash	Carbon oak		Slate grey
	Terracotta ash			Red blush
	Salmon ash			Blue shadow
	Navy ash			Pale green
	Sky ash			
	Forest ash			
	Sage ash			
			MELAMINE	


Modularity



Section



Cable passage scheme




* dimensions not customizable

Notes:

Each block consists of: door, back panel, floor and top base, upper and lower wooden frame, side panel and basement, open compartment and shelves. XILIA will optimize the length of the upper and lower frame according to the composition. If the length is greater than 2700 mm, the horizontal wooden frame shall be divided into several pieces.

Bases and open modules are not adjustable in height.


At the time of the order communicate the precise measurements of the composition to the commercial office, which will promptly check the correct design or composition.



		20LAY0004	20LAY0005	03LAY0031	03LAY0036	81ACC0004
Width (min. 1338 mm) →		1595 mm	1955 mm	Finished side panel	Niche compensation band	TV bracket with VESA support
Height (min. 1800 mm) ↓		D 440 ÷ 590 mm	D 440 ÷ 590 mm	D 440 ÷ 590 mm		From 32" to 77"
Category A	2100 mm	5.711	6.621	624	281	90
	2400 mm	6.214	7169	704	321	
	2700 mm	6.629	7.620	783	360	
	3000 mm	7.602	8.723	863	421	
Category B	2100 mm	6.041	7.016	678	300	
	2400 mm	6.577	7.602	765	342	
	2700 mm	7.021	8.083	852	385	
	3000 mm	8.043	8.589	939	450	
Category C	2100 mm	6.361	7.395	731	319	
	2400 mm	6.931	8.018	824	364	
	2700 mm	7.402	8.531	918	408	
	3000 mm	8.473	9.055	1.012	479	

Door			Structure		
VENEER	A: Natural oak	B: Canaletto	C: Cement fir	Light grey	
	Natural ash	Graphite oak	Velasca canaletto	Platinum grey	
	Carbon ash	Carbon oak		Slate grey	
	Terracotta ash			MELAMINE	Red blush
	Salmon ash				Blue shadow
	Navy ash				Pale green
	Sky ash				
	Forest ash				
	Sage ash				

Adjustable horizontal shelving lighting system scheme



If the wardrobe is equipped with internal light, allow 50 mm of air space between the ceiling and the wardrobe top for power supply ventilation and any necessary inspection or maintenance.

Notes:


The lighting has a temperature of 3000° K.

To the price of the lamp doesn't include the power supply, to add separately. The power supply have UL certification.


One or more power supplys may be required in a composition. For the calculation of power supply, consider 11 W per illuminated linear meter.

If necessary, provide an inspection hatch for access to the power supply, see page 48.

The electrical connection is not provided by XILIA.




	82ACC0005	82ACC0007	82ACC0008	82ACC0009	82ACC0010	82ACC0011
Shelf lighting	448 mm	528 mm	648 mm	888 mm	1048 mm	1288 mm
	92	96	103	115	124	137



82ACC0019	82ACC0020	82ACC0002	82ACC0003	82ACC0004
Magnetic ignition sensor	Electrified profile	Power supply 110/220V 60 W	Power supply 110/220V 100 W	Power supply 110/220V 150 W
128	82	110	116	160

Side vertical lighting scheme



If the wardrobe is equipped with internal light, allow 50 mm of air space between the ceiling and the wardrobe top for power supply ventilation and any necessary inspection or maintenance.

Notes:


The lighting has a temperature of 3000° K.

To the price of the lamp doesn't include the power supply, to add separately. The power supply have UL certification.


One or more power supplys may be required in a composition. For the calculation of power supply, consider 11 W per illuminated linear meter.

If necessary, provide an inspection hatch for access to the power supply, see page 48.

The electrical connection is not provided by XILIA.





	82ACC0015	82ACC0016	82ACC0017	82ACC0018
Vertical lighting	2100 mm	2400 mm	2700 mm	3000 mm
	175	191	207	223



82ACC0002	82ACC0003	82ACC0004
Power supply 110/220V 60 W	Power supply 110/220V 100 W	Power supply 110/220V 150 W
110	116	160




Notes:
The coat hanger tube is always fixed, through the appropriate support, to the top of the wardrobe structure or to the shelf. When ordering, please specify the position of the coat hanger for the correct holes prep.

						
83ACC0008		83ACC0009		83ACC0010		
448 mm		528 mm		648 mm		
Shelf	D 440 ÷ 590 mm	D 440 ÷ 590 mm		D 440 ÷ 590 mm		
33		38		44		
83ACC0011		83ACC0012		83ACC0013		
888 mm		1048 mm		1288 mm		
Shelf	D 440 ÷ 590 mm	D 440 ÷ 590 mm		D 440 ÷ 590 mm		
58		67		81		
						
81ACC0004		81ACC0005	81ACC0006	81ACC0007	81ACC0008	81ACC0009
Coat hanger	448 mm	528 mm	648 mm	888 mm	1048 mm	1288 mm
32		34	37	43	47	53

Shelf		Coat hanger	
MELAMINE	Light grey	METAL	Black
	Platinum grey		
	Slate grey		
	Red blush		
	Blue shadow		
	Pale green		

Notes:
Each module consists of: door, back panel, floor and top base, upper and lower wooden frame, side panel and basement. XILIA will optimize the length of the upper and lower frame according to the composition. If the length is greater than 2700 mm, the horizontal wooden frame shall be divided into several pieces.

At the time of the order communicate the precise measurements of the composition to the commercial office, which will promptly check the correct design or composition.

										
		03LAY0007	03LAY0008	03LAY0009	03LAY0010	03LAY0011	03LAY0012	03LAY0032	03LAY0033	
		Width →	448 mm		528 mm		648 mm		Finished side panel	
		Height ↓	D 440 mm	D 590 mm	D 440 mm	D 590 mm	D 440 mm	D 590 mm	D 440 mm	D 590 mm
Category A	450 mm	545	624	598	687	679	782	141	175	
	700 mm	663	751	776	824	821	933	203	251	
	900 mm	743	838	813	917	918	1.036	252	312	
Category B	450 mm	568	650	625	717	710	817	151	188	
	700 mm	692	784	815	861	861	977	219	271	
	900 mm	777	875	852	959	964	1.086	273	337	
Category C	450 mm	590	675	650	745	740	850	162	201	
	700 mm	721	815	853	897	899	1.019	234	291	
	900 mm	810	911	889	1.000	1.008	1.134	293	362	

Door			Structure	
VENEER	A: Natural oak	B: Canaletto	C: Cement fir	Light grey
	Natural ash	Graphite oak	Velasca canaletto	Platinum grey
	Carbon ash	Carbon oak		Slate grey
	Terracotta ash			Red blush
	Salmon ash			Blue shadow
	Navy ash			Pale green
	Sky ash			
	Forest ash			
	Sage ash			
			MELAMINE	

Notes:
Each module consists of: door, back panel, floor and top base, upper and lower wooden frame, side panel and basement. XILIA will optimize the length of the upper and lower frame according to the composition. If the length is greater than 2700 mm, the horizontal wooden frame shall be divided into several pieces.

At the time of the order communicate the precise measurements of the composition to the commercial office, which will promptly check the correct design or composition.

		03LAY0013	03LAY0014	03LAY0015	03LAY0016	03LAY0017	03LAY0018	03LAY0032	03LAY0033
Width →		888 mm		1048 mm		1288 mm		Finished side panel	
Height ↓		D 440 mm	D 590 mm	D 440 mm	D 590 mm	D 440 mm	D 590 mm	D 440 mm	D 590 mm
Category A	450 mm	918	1.048	1.028	1.177	1.194	1.370	141	175
	700 mm	1.118	1.257	1.262	1.407	1.446	1.631	203	251
	900 mm	1.280	1.426	1.428	1.593	1.650	1.843	252	312
Category B	450 mm	960	1.096	1.077	1.232	1.253	1.437	151	188
	700 mm	1.172	1.316	1.324	1.475	1.521	1.714	219	271
	900 mm	1.343	1.495	1.501	1.672	1.738	1.938	273	337
Category C	450 mm	1.000	1.142	1.124	1.285	1.310	1.501	162	201
	700 mm	1.224	1.374	1.384	1.542	1.593	1.794	234	291
	900 mm	1.405	1.562	1.572	1.749	1.822	2.030	293	362

Notes:
Each module consists of: door, back panel, floor and top base, upper and lower wooden frame, side and back finished panel and basement. XILIA will optimize the length of the upper and lower frame according to the composition. If the length is greater than 2700 mm, the horizontal wooden frame shall be divided into several pieces.

At the time of the order communicate the precise measurements of the composition to the commercial office, which will promptly check the correct design or composition.


		03LAY0019	03LAY0020	03LAY0021	03LAY0022	03LAY0023	03LAY0024	03LAY0034	03LAY0035
Width →		448 mm		528 mm		648 mm		Finished side panel	
Height ↓		D 510 mm	D 660 mm	D 510 mm	D 660 mm	D 510 mm	D 660 mm	D 510 mm	D 660 mm
Category A	450 mm	792	1.009	987	1.077	1.075	1.178	157	191
	700 mm	1.065	1.053	1.133	1.152	1.235	1.301	226	274
	900 mm	1.158	1.185	1.233	1.297	1.345	1.464	281	340
Category B	450 mm	829	1.062	1.041	1.134	1.134	1.241	169	206
	700 mm	1.124	1.105	1.197	1.211	1.305	1.370	244	296
	900 mm	1.223	1.247	1.303	1.366	1.422	1.545	304	368
Category C	450 mm	864	1.113	1.093	1.189	1.191	1.302	181	220
	700 mm	1.181	1.155	1.258	1.268	1.373	1.437	261	318
	900 mm	1.286	1.306	1.370	1.433	1.497	1.624	326	396

Door		Structure		
VENEER	A: Natural oak	B: Canaletto	C: Cement fir	Light grey
	Natural ash	Graphite oak	Velasca canaletto	Platinum grey
	Carbon ash	Carbon oak		Slate grey
	Terracotta ash			Red blush
	Salmon ash			Blue shadow
	Navy ash			Pale green
	Sky ash			
	Forest ash			
	Sage ash			
		MELAMINE		

Door		Structure		
VENEER	A: Natural oak	B: Canaletto	C: Cement fir	Light grey
	Natural ash	Graphite oak	Velasca canaletto	Platinum grey
	Carbon ash	Carbon oak		Slate grey
	Terracotta ash			Red blush
	Salmon ash			Blue shadow
	Navy ash			Pale green
	Sky ash			
	Forest ash			
	Sage ash			
		MELAMINE		


Notes:
Each module consists of: door, back panel, floor and top base, upper and lower wooden frame, side and back finished panel and basement. XILIA will optimize the length of the upper and lower frame according to the composition. If the length is greater than 2700 mm, the horizontal wooden frame shall be divided into several pieces.

At the time of the order communicate the precise measurements of the composition to the commercial office, which will promptly check the correct design or composition.



		03LAY0025	03LAY0026	03LAY0027	03LAY0028	03LAY0029	03LAY0030	03LAY0034	03LAY0035	
		Width →	888 mm		1048 mm		1288 mm		Finished side panel	
		Height ↓	D 510 mm	D 660 mm	D 510 mm	D 660 mm	D 510 mm	D 660 mm	D 510 mm	D 660 mm
Category A	450 mm	1.302	1.433	1.448	1.597	1.667	1.844	157	191	
	700 mm	1.644	1.784	1.828	1.985	2.102	2.287	226	274	
	900 mm	1.921	2.068	2.134	2.299	2.453	2.645	281	340	
Category B	450 mm	1.370	1.506	1.526	1.681	1.759	1.943	169	206	
	700 mm	1.737	1.882	1.933	2.097	2.227	2.420	244	296	
	900 mm	2.034	2.186	2.263	2.434	2.605	2.805	304	368	
Category C	450 mm	1.435	1.576	1.600	1.761	1.848	2.040	181	220	
	700 mm	1.827	1.977	2.035	2.206	2.349	2.549	261	318	
	900 mm	2.144	2.301	2.387	2.564	2.752	2.960	326	396	


Door			Structure				
VENEER	A:	Natural oak	B:	Canaletto	C:	Cement fir	Light grey
		Natural ash		Graphite oak		Velasca canaletto	Platinum grey
		Carbon ash		Carbon oak			Slate grey
		Terracotta ash					Red blush
		Salmon ash					Blue shadow
		Navy ash					Pale green
		Sky ash					
		Forest ash					
		Sage ash					
			MELAMINE				



	83ACC0002	83ACC0008	83ACC0003	83ACC0009	83ACC0004	83ACC0010
Width →	448 mm		528 mm		648 mm	
Shelf	D 440 mm	D 590 mm	D 440 mm	D 590 mm	D 440 mm	D 590 mm
	25	33	29	38	34	44

	83ACC0005	83ACC0011	83ACC0006	83ACC0012	83ACC0007	83ACC0013
Width →	888 mm		1048 mm		1288 mm	
Shelf	D 440 mm	D 590 mm	D 440 mm	D 590 mm	D 440 mm	D 590 mm
	44	58	51	67	61	81


Shelf	
MELAMINE	Light grey
	Platinum grey
	Slate grey
	Red blush
	Blue shadow
	Pale green



81ACC0005

Inspection hatch on back or top panel


150



83ACC0001

Custom cut-out


70



81ACC0010


Lock with external bolt

144




Composition 1

	Double doors module (x2): L 1048 mm H 2700 mm D 590 mm	Bookshelf module (x2): L 1048 mm H 2700 mm D 590 mm	Finished side panel (x2): L 590 mm H 2700 mm	TOTAL
Category A	5.380	8.960	1.566	15.906
Category B	5.652	9.646	1.704	17.002
Category C	5.912	10.312	1.836	18.060




Composition 2


	Double doors module (x2): L 1048 mm H 2700 mm D 590 mm	Bench module: L 2015 mm H 2700 mm	Finished side panel (x2): L 590 mm H 2700 mm	TOTAL
Category A	5.380	7.904	1.566	14.850
Category B	5.652	8.380	1.704	15.736
Category C	5.912	8.842	1.836	16.590




	Double doors module (x2):		TV module:		Finished side panel (x2):		TOTAL
	L 1048 mm	H 2700 mm	D 590 mm	L 1595 mm	H 2700 mm	D 590 mm	
Category A	5.380		6.629		1.566		13.575
Category B	5.652		7.021		1.704		14.377
Category C	5.912		7.402		1.836		15.150



	Double doors module (x2):		Single door module (x2):		Finished side panel (x2):		TOTAL
	L 1048 mm	H 2700 mm	D 590 mm	L 528 mm	H 2700 mm	D 590 mm	
Category A	5.380		3.458		1.566		10.404
Category B	5.652		3.612		1.704		10.968
Category C	5.912		3.762		1.836		11.510



	Double base without wood veneer finished back panel (x2):		Finished side panel (x2):		TOTAL
	L 1048 mm	H 700 mm	D 590 mm	L 590 mm	H 700 mm
Category A	2.814		502		3.316
Category B	2.950		542		3.492
Category C	3.084		582		3.666



	Double base with wood veneer finished back panel (x2):		Finished side panel (x2):		TOTAL
	L 1048 mm	H 700 mm	D 660 mm	L 660 mm	H 700 mm
Category A	3.970		548		4.518
Category B	4.194		592		4.786
Category C	4.412		636		5.048

Bubble

Modular bookcase

Design by Gianmarco Miolo


Bubble

Technical specifications

INDEX


Components

1. Side frame
2. Intermediate frame
3. Crosspieces
4. Inspectable base
5. Wooden or glass shelf
6. Powder-coated metal tray




Discover more
about Bubble


Bubble low: 900 mm or 1200 mm modules




Bubble high: 900 mm or 1200 mm modules




Glass shelves




Wooden shelves




Small tray



Big tray



Bookend



Materials		
	Structure	Shelves
		Trays
Wood veneer	●	●
Powder-coated metal		●
Tempered glass thk. 8 mm		●

Wood veneer

WD01

Natural oak

WD02

Canaletto

WD06

Carbon oak

WD16

Velasca canaletto

Powder-coated metal

ML01

Traffic white

ML02

Jet black

ML03

Champagne

ML04

Telegrey 4

ML05

Copper red

ML06

Beige red

ML07

Distant blue

ML08

Pastel blue

ML09

Reseda green

ML10








Pale green

8 mm tempered glass

GL01


Extraclear

Notes:
To calculate the price of the composition consider the following rules:
- Always consider two lateral sides
- If the composition has more than one module, add the intermediate sides. The formula for determining the number of intermediate sides is "quantity of modules -1"
- The number of bases is equal to the number of modules. The base is already included of traverses
- For each module H. 850 mm consider 4 crosspieces and for each module H. 2100 mm consider 8 crosspieces
- The number of shelves is at the discretion of customers, if present consider 2 crosspieces "with shelf" for each

					
05BUB0001	05BUB0003	05BUB0002	05BUB0004		
Lateral side H. 2100 mm	Intermediate side H. 2100 mm	Lateral side H. 850 mm	Intermediate side H. 850 mm		
L 350 P 30 H 2100	L 350 P 30 H 2100	L 350 P 30 H 850	L 350 P 30 H 850		
pack 1 Kg 11	pack 1 Kg *	pack 1 Kg 7	pack 1 Kg *		
Category A	383	275	288		
Category B	406	288	300		
Category C	426	300	313		
*Package weight: with 1 side H. 850 mm = 6 Kg / with 1 side H. 2100 mm = 10 Kg - with 2 sides H. 850 mm = 7 Kg / with 2 sides H. 2100 mm = 11 Kg					
					
05BUB0005	05BUB0006	05BUB0007	05BUB0008	05BUB0009	05BUB00010
Base L. 900 mm	Base L. 1200 mm	Crosspieces L. 900 mm	Crosspieces L. 1200 mm		
L 900 P 350 H 75	L 1200 P 350 H 75	L 900 P 30 H 75	L 1200 P 30 H 75		
pack 1 Kg 5	pack 1 Kg 6	pack 1 Kg 7	pack 1 Kg 9		
		Without shelf	With shelf	Without shelf	With shelf
Category A	232	305	60	65	75
Category B	254	334	65	70	81
Category C	271	351	69	74	85


Structure
A: Natural oak B: Canaletto C: Velasca canaletto
Carbon oak

VENEER




Composition high medium:
- Lateral side H. 2100 mm - x2
- Intermediate side H. 2100 mm - x2
- Base L. 900 mm - x2
- Base L. 1200 mm - x1
- Crosspieces L. 900 mm - x16
- Crosspieces L. 1200 mm - x8
- Big tray - x2
- Small tray - x2

	Without shelves	With wooden shelves da 900 mm (6x) e 1200 mm (3x)	With glass shelves da 900 mm (6x) e 1200 mm (3x)
	pack 11 Kg 84	pack 16 Kg 116	pack 16 Kg 139
Category A	4.665	5.862	5.463
Category B	4.958	6.278	5.756
Category C	5.181	6.582	5.979




Composition low medium:
- Lateral side H. 850 mm - x2
- Intermediate side H. 850 mm - x2
- Base L. 1200 mm - x3
- Crosspieces L. 1200 mm - x12
- Big tray - x1
- Small tray - x2

	Without shelves	With wooden shelves (3x)	With glass shelves (3x)
	pack 8 Kg 63	pack 10 Kg 77	pack 10 Kg 91
Category A	3.448	3.913	3.748
Category B	3.659	4.175	3.959
Category C	3.806	4.349	4.106



Composition high large:
- Lateral side H. 2100 mm - x2
- Intermediate side H. 2100 mm - x3
- Base L. 1200 mm - x4
- Crosspieces L. 1200 mm - x32
- Big tray - x4
- Small tray - x5

	Without shelves	With wooden shelves (12x)	With glass shelves (12x)
	pack 18 Kg 74	pack 28 Kg 196	pack 28 Kg 238
Category A	7.248	9.108	8.448
Category B	7.671	9.735	8.871
Category C	7.961	10.133	9.161



Composition low large:
- Lateral side H. 850 mm - x2
- Intermediate side H. 850 mm - x3
- Base L. 900 mm - x2
- Base L. 1200 mm - x2
- Crosspieces L. 900 mm - x8
- Crosspieces L. 1200 mm - x8
- Big tray - x3
- Small tray - x4

	Without shelves	With wooden shelves 900 mm (2x) and 1200 mm (2x)	With glass shelves 900 mm (2x) and 1200 mm (2x)
	pack 13 Kg 101	pack 15 Kg 115	pack 15 Kg 125
Category A	4.845	5.399	5.211
Category B	5.100	5.712	5.466
Category C	5.292	5.940	5.658

Gravity

Suspended sideboard

Design by Martinelli Venezia


Gravity

Technical specifications

INDEX


Components

1. Wall mounting aluminium frame
2. Upward and/or downward integrated led lighting 3000° K (optional)
3. Melamine structure made of 19mm thick panels, equipped with additional hidden adjusters
4. Door or drawers opening options
5. Powder-coated metal cover




Discover more
about Gravity


Modularity




External lighting



Type of opening: door




Type of opening: drawer




Cable duct



Glass shelf



Internal drawer



Internal lighting



Materials


	Doors	Bodies	External metallic case	Wall mounting system
Wood veneer	●			
Matt lacquered	●			
Melamine		●		
Powder-coated metal			●	●*

* only Jet black


Wood veneer




Matt lacquered



Melamine






Powder-coated metal



Notes:

The following elements consist of a frame for hanging containers, an external metal case and a hinged door. In case of drawers see optionals pricelist.



06GRA0001

1 Module

L 600 mm **D** 450 mm **H** 419 mm

06GRA0002

2 Modules

L 1200 mm **D** 450 mm **H** 419 mm

06GRA0003

3 Modules

L 1800 **D** 450 **H** 419 mm

06GRA0004

4 Modules

L 2400 mm **D** 450 mm **H** 419 mm

pack 1 Kg 50

pack 4 Kg 89

pack 5 Kg 126

pack 6 Kg 163

Door category A	1.113	1.942	2.779	3.605
Door category B	1.151	2.010	2.878	3.734
Door category C	1.189	2.078	2.977	3.862
Door category D	1.333	2.382	3.439	4.485
Lacquered door	1.093	1.902	2.719	3.525

Door



VENEER	A: Natural oak	B: Canaletto	C: Velasca canaletto	D: Natural oak Strike	Ivory white	Light grey	Traffic white	Beige red
	Natural ash	Graphite oak		Canaletto Strike	Mouse grey	Platinum grey	Jet black	Blu distrante
	Carbon ash	Carbon oak		Graphite oak Strike	Concrete grey	Slate grey	Champagne	Pastel blue
	Terracotta ash			Carbon oak Strike	Graphite grey	Red blush	Telegrey 4	Reseda green
	Salmon ash			Velasca canaletto Strike	Moss green	Blue shadow	Copper red	Pale green
	Navy ash				Olive green	Pale green		
	Sky ash				Petroleum blue			
	Forest ash				Petal pink			
	Sage ash							

Notes:
The light of the drawers is powered by battery, it will not be necessary to buy a power supply.





The cable duct on the top is provided in a central position with respect to the width of the sideboard and 340 mm from the outer edge.





The cable duct on the back is provided in a central position with respect to the width of the sideboard and 110 mm from the bottom.

In case of a custom cut-out, please communicate the precise position at the order to the sales office, which will promptly check the correct position.

	
84GRA0001	84GRA0002
Glass shelf	Black eco-leather mat
pack 1 Kg *	
62	128

*Package weight: with 1 shelf = 6 Kg - with 2 shelves = 9 Kg


			
84GRA0003	84GRA0004	84GRA0005	84GRA0006
Drawer for sideboard front	Drawer for sideboard front with light	Internal upper drawer	Internal upper drawer with light
183	307	242	366




			
81ACC0001	81ACC0002	81ACC0003	83ACC0001
Top cable duct black	Top cable duct in matching color	Back cable duct	Custom cut-out
170	249	68	70


Notes:
The power supply is suitable for UL-certified 230 V and 110 V. The light temperature is 3000° K.

In the case of single illumination, indicate at the order if top or bottom light.

The power supply is always to be added separately.


								
82GRA0001	82GRA0002	82GRA0003	82GRA0004	82GRA0005	82GRA0006	82GRA0007	82GRA0008	
Single 1 module	Double 1 module	Single 2 modules	Double 2 modules	Single 3 modules	Double 3 modules	Single 4 modules	Double 4 modules	
External lighting	41	82	55	110	73	146	90	180

		
82ACC0006	82ACC0003	82ACC0001
Internal lighting for hinged doors	Power supply 110/220V 100 W	Remote switch on with dimmer
190	116	88




Composition 1

	Composition 1 module	Drawer for sideboard front with light	Black eco-leather mat	External lighting single	Power supply 100 W	TOTAL (including optional)
Door category A	1.113	307	128	41	116	1.705
Door category B	1.151					1.743
Door category C	1.189					1.781
Door category D	1.333					1.925
Lacquered door	1.093					1.685




Composition 2

	Composition 2 modules	Glass shelf thk. 8 mm (x2)	Internal lighting (x2)	Power supply 100 W	TOTAL (including optional)
Door category A	1.942	124	380	116	2.562
Door category B	2.010				2.630
Door category C	2.078				2.698
Door category D	2.382				3.002
Lacquered door	1.902				2.522



Composition 3

	Composition 3 modules	Drawer for sideboard front with light (x3)	Internal upper drawer without light (x3)	External lighting double	Power supply 100 W	TOTAL (including optional)
Door category A	2.779	921	726	146	116	4.688
Door category B	2.878					4.787
Door category C	2.977					4.886
Door category D	3.439					5.348
Lacquered door	2.719					4.628



Composition 4

	Composition 4 Modules	Glass shelf thk. 8 mm (x4)	Internal lighting (x4)	External lighting double	Power supply 100 W	TOTAL (including optional)
Door category A	3.605	248	760	180	116	4.909
Door category B	3.734					5.038
Door category C	3.862					5.166
Door category D	4.485					5.789
Lacquered door	3.525					4.829

Outstanding

Suspended shelving system


Design by XILIA R&D

Outstanding Technical specifications

INDEX


Components

1. Aluminum frame with adjuster
2. Dedicated hole for power supply
3. Anti-release system
4. Upward and/or downward integrated led lighting 3000° K (optional)
5. Metal shelf with integrated fixing profile




↙ Discover more
about Outstanding


Modularity




External lighting options




No lighting



Top lighting





Bottom lighting



Top and bottom lighting

Materials			
	Shelf	Fixing profile	Wall mounting system
Powder-coated metal	●	●*	●**
* always in the same colour of the shelf ** only Jet black			

Powder-coated metal	ML01 Traffic white	ML02 Jet black	ML03 Champagne	ML04 Telegrey 4	ML05 Copper red	ML06 Beige red	ML07 Distant blue	ML08 Pastel blue	ML09 Reseda green	ML10 Pale green
---------------------	--	--------------------------------------	--------------------------------------	---------------------------------------	---------------------------------------	--------------------------------------	---	--	---	---------------------------------------

Notes: The power supply is suitable for 230 V and 110 V with UL certification. The light temperature is 3000° K. The power supply is included in the price, please specify whether 230 V or 110 V in addition to the position of the single lighting.				
				
	10OUT0001 Length 600 mm	10OUT0002 Length 1200 mm	10OUT0003 Length 1800 mm	10OUT0004 Length 2400 mm
	L 600 mm D 290 mm H 73 mm	L 1200 mm D 290 mm H 73 mm	L 1800 mm D 290 mm H 73 mm	L 2400 mm D 290 mm H 73 mm
	pack 1 Kg 8	pack 1 Kg 14	pack 5 Kg 20	pack 6 Kg 27
Without light	279	422	564	704
	10OUT0005	10OUT0006	10OUT0007	10OUT0008
Single light	471	650	832	1.010
	10OUT0009	10OUT0010	10OUT0011	10OUT0012
Double light	542	748	960	1.166
				
	82ACC0001 Remote switch on with dimmer			
Optional	88			

Shelf	METAL Traffic white Jet black Champagne Telegrey 4 Copper red	Beige red Distant blue Pastel blue Reseda green Pale green
-------	---	---

Hooky

Coat hanger

Design by XILIA R&D



Discover more
about Hooky




Hooky

Technical specifications

INDEX

Coat hanger




#2 1 - 2025 (€)

79

Materials			
	Coat hanger	Bag holder	Bag holder covering
Powder-coated metal	•	•	
Hide			•

Powder-coated metal	ML02 Jet black
Hide	LE01 Natural LE02 Black

	
17H000001	
Coat hanger	
L 90 mm P 160 mm H 340 mm	
pack 1 Kg 2	
215	
Optional	84ACC0001
Bag holder covering	80

Accessories	Bag holder covering
METAL Jet black	HIDE Natural hide Black hide

Myself

Mirrors

Design by XILIA R&D




Myself


Technical specifications

INDEX

Round mirror



Oval mirror





✓ Discover more
about Myself

Materials	
Mirror structure	
Powder-coated metal	●

Powder-coated metal

ML02
Jet black


	
18MYS0001	18MYS0002
Round mirror	Oval mirror
L 600 mm D 35 mm H 600 mm	L 500 mm D 35 mm H 1600 mm
pack 1 Kg 11	pack 1 Kg 34
502	721

Accessories

Jet black

Marketing tools

Notes:
The following items have a NET price




91MRK0001

Sample box with catalogue and reference book

L 320 mm D 250 mm H 330 mm

645




91MRK0002

Catalogue "The serious game of design"

L 280 mm D 200 mm H 15 mm

25



91MRK0003

Reference book "Shaping spaces #1"

L 280 mm D 200 mm H 15 mm

15



EN Xilia invites you to think outside the box, by introducing a new approach to design and production that rethinks the way to experience space. With Xilia, design becomes an engaging experience, a serious game that does not limit itself to enriching space, but redefines it through objects that were missing or now have new meanings.

